

ISO一般工業用Oリング

単位mm

| 品番 | 太さ | 太さ公差 ± | 内径 | 内径公差 ± |
|--------|------|--------|-------|--------|
| A0018G | 1.80 | 0.08 | 1.80 | 0.13 |
| A0020G | 1.80 | 0.08 | 2.00 | 0.13 |
| A0022G | 1.80 | 0.08 | 2.24 | 0.13 |
| A0025G | 1.80 | 0.08 | 2.50 | 0.13 |
| A0028G | 1.80 | 0.08 | 2.80 | 0.14 |
| A0031G | 1.80 | 0.08 | 3.15 | 0.14 |
| A0035G | 1.80 | 0.08 | 3.55 | 0.14 |
| A0037G | 1.80 | 0.08 | 3.75 | 0.14 |
| A0040G | 1.80 | 0.08 | 4.00 | 0.14 |
| A0045G | 1.80 | 0.08 | 4.50 | 0.14 |
| A0048G | 1.80 | 0.08 | 4.87 | 0.15 |
| A0050G | 1.80 | 0.08 | 5.00 | 0.15 |
| A0051G | 1.80 | 0.08 | 5.15 | 0.15 |
| A0053G | 1.80 | 0.08 | 5.30 | 0.15 |
| A0056G | 1.80 | 0.08 | 5.60 | 0.15 |
| A0060G | 1.80 | 0.08 | 6.00 | 0.15 |
| A0063G | 1.80 | 0.08 | 6.30 | 0.15 |
| A0067G | 1.80 | 0.08 | 6.70 | 0.16 |
| A0069G | 1.80 | 0.08 | 6.90 | 0.16 |
| A0071G | 1.80 | 0.08 | 7.10 | 0.16 |
| A0075G | 1.80 | 0.08 | 7.50 | 0.16 |
| A0080G | 1.80 | 0.08 | 8.00 | 0.16 |
| A0085G | 1.80 | 0.08 | 8.50 | 0.16 |
| A0087G | 1.80 | 0.08 | 8.75 | 0.17 |
| A0090G | 1.80 | 0.08 | 9.00 | 0.17 |
| A0095G | 1.80 | 0.08 | 9.50 | 0.17 |
| A0100G | 1.80 | 0.08 | 10.00 | 0.17 |
| A0106G | 1.80 | 0.08 | 10.60 | 0.18 |
| A0112G | 1.80 | 0.08 | 11.20 | 0.18 |
| A0118G | 1.80 | 0.08 | 11.80 | 0.19 |
| A0125G | 1.80 | 0.08 | 12.50 | 0.19 |
| A0132G | 1.80 | 0.08 | 13.20 | 0.19 |
| A0140G | 1.80 | 0.08 | 14.00 | 0.19 |
| A0150G | 1.80 | 0.08 | 15.00 | 0.20 |
| A0160G | 1.80 | 0.08 | 16.00 | 0.20 |
| A0170G | 1.80 | 0.08 | 17.00 | 0.21 |
| B0140G | 2.65 | 0.09 | 14.00 | 0.19 |
| B0150G | 2.65 | 0.09 | 15.00 | 0.20 |
| B0160G | 2.65 | 0.09 | 16.00 | 0.20 |
| B0170G | 2.65 | 0.09 | 17.00 | 0.21 |
| B0180G | 2.65 | 0.09 | 18.00 | 0.21 |
| B0190G | 2.65 | 0.09 | 19.00 | 0.22 |
| B0200G | 2.65 | 0.09 | 20.00 | 0.22 |
| B0212G | 2.65 | 0.09 | 21.20 | 0.23 |
| B0224G | 2.65 | 0.09 | 22.40 | 0.24 |
| B0236G | 2.65 | 0.09 | 23.60 | 0.24 |
| B0250G | 2.65 | 0.09 | 25.00 | 0.25 |

■ ISO一般工業用Oリング 寸法ラインアップ

太さ1.80 内径1.8~17

太さ2.65 内径14~38.7

太さ3.55 内径18~200

太さ5.30 内径40~400

太さ7.00 内径109~670 単位mm

■ 表中の内径公差はJIS-B2401 1~3種

の値であり4種Dはその2倍、4種Cは3倍

の許容とさせていただきます。

■ JIS規格以外の材質における公差

については個別にお問い合わせください。

単位mm

| 品番 | 太さ | 太さ公差 ± | 内径 | 内径公差 ± |
|--------|------|--------|-------|--------|
| B0258G | 2.65 | 0.09 | 25.80 | 0.26 |
| B0265G | 2.65 | 0.09 | 26.50 | 0.26 |
| B0280G | 2.65 | 0.09 | 28.00 | 0.28 |
| B0300G | 2.65 | 0.09 | 30.00 | 0.29 |
| B0315G | 2.65 | 0.09 | 31.50 | 0.31 |
| B0325G | 2.65 | 0.09 | 32.50 | 0.32 |
| B0335G | 2.65 | 0.09 | 33.50 | 0.32 |
| B0345G | 2.65 | 0.09 | 34.50 | 0.33 |
| B0355G | 2.65 | 0.09 | 35.50 | 0.34 |
| B0365G | 2.65 | 0.09 | 36.50 | 0.35 |
| B0375G | 2.65 | 0.09 | 37.50 | 0.36 |
| B0387G | 2.65 | 0.09 | 38.70 | 0.37 |
| C0180G | 3.55 | 0.10 | 18.00 | 0.21 |
| C0190G | 3.55 | 0.10 | 19.00 | 0.22 |
| C0200G | 3.55 | 0.10 | 20.00 | 0.22 |
| C0212G | 3.55 | 0.10 | 21.20 | 0.23 |
| C0224G | 3.55 | 0.10 | 22.40 | 0.24 |
| C0236G | 3.55 | 0.10 | 23.60 | 0.24 |
| C0250G | 3.55 | 0.10 | 25.00 | 0.25 |
| C0258G | 3.55 | 0.10 | 25.80 | 0.26 |
| C0265G | 3.55 | 0.10 | 26.50 | 0.26 |
| C0280G | 3.55 | 0.10 | 28.00 | 0.28 |
| C0300G | 3.55 | 0.10 | 30.00 | 0.29 |
| C0315G | 3.55 | 0.10 | 31.50 | 0.31 |
| C0325G | 3.55 | 0.10 | 32.50 | 0.32 |
| C0335G | 3.55 | 0.10 | 33.50 | 0.32 |
| C0345G | 3.55 | 0.10 | 34.50 | 0.33 |
| C0355G | 3.55 | 0.10 | 35.50 | 0.34 |
| C0365G | 3.55 | 0.10 | 36.50 | 0.35 |
| C0375G | 3.55 | 0.10 | 37.50 | 0.36 |
| C0387G | 3.55 | 0.10 | 38.70 | 0.37 |
| C0400G | 3.55 | 0.10 | 40.00 | 0.38 |
| C0412G | 3.55 | 0.10 | 41.20 | 0.39 |
| C0425G | 3.55 | 0.10 | 42.50 | 0.40 |
| C0437G | 3.55 | 0.10 | 43.70 | 0.41 |
| C0450G | 3.55 | 0.10 | 45.00 | 0.42 |
| C0462G | 3.55 | 0.10 | 46.20 | 0.43 |
| C0475G | 3.55 | 0.10 | 47.50 | 0.44 |
| C0487G | 3.55 | 0.10 | 48.70 | 0.45 |
| C0500G | 3.55 | 0.10 | 50.00 | 0.46 |
| C0515G | 3.55 | 0.10 | 51.50 | 0.47 |
| C0530G | 3.55 | 0.10 | 53.00 | 0.48 |
| C0545G | 3.55 | 0.10 | 54.50 | 0.50 |
| C0560G | 3.55 | 0.10 | 56.00 | 0.51 |
| C0580G | 3.55 | 0.10 | 58.00 | 0.52 |
| C0600G | 3.55 | 0.10 | 60.00 | 0.54 |
| C0615G | 3.55 | 0.10 | 61.50 | 0.55 |
| C0630G | 3.55 | 0.10 | 63.00 | 0.56 |
| C0650G | 3.55 | 0.10 | 65.00 | 0.58 |

単位mm

| 品番 | 太さ | 太さ公差 ± | 内径 | 内径公差 ± |
|--------|------|--------|--------|--------|
| C0670G | 3.55 | 0.10 | 67.00 | 0.59 |
| C0690G | 3.55 | 0.10 | 69.00 | 0.61 |
| C0710G | 3.55 | 0.10 | 71.00 | 0.63 |
| C0730G | 3.55 | 0.10 | 73.00 | 0.64 |
| C0750G | 3.55 | 0.10 | 75.00 | 0.66 |
| C0775G | 3.55 | 0.10 | 77.50 | 0.67 |
| C0800G | 3.55 | 0.10 | 80.00 | 0.69 |
| C0825G | 3.55 | 0.10 | 82.50 | 0.71 |
| C0850G | 3.55 | 0.10 | 85.00 | 0.73 |
| C0875G | 3.55 | 0.10 | 87.50 | 0.75 |
| C0900G | 3.55 | 0.10 | 90.00 | 0.77 |
| C0925G | 3.55 | 0.10 | 92.50 | 0.79 |
| C0950G | 3.55 | 0.10 | 95.00 | 0.81 |
| C0975G | 3.55 | 0.10 | 97.50 | 0.83 |
| C1000G | 3.55 | 0.10 | 100.00 | 0.84 |
| C1030G | 3.55 | 0.10 | 103.00 | 0.87 |
| C1060G | 3.55 | 0.10 | 106.00 | 0.89 |
| C1090G | 3.55 | 0.10 | 109.00 | 0.91 |
| C1120G | 3.55 | 0.10 | 112.00 | 0.93 |
| C1150G | 3.55 | 0.10 | 115.00 | 0.95 |
| C1180G | 3.55 | 0.10 | 118.00 | 0.97 |
| C1220G | 3.55 | 0.10 | 122.00 | 1.00 |
| C1250G | 3.55 | 0.10 | 125.00 | 1.03 |
| C1280G | 3.55 | 0.10 | 128.00 | 1.05 |
| C1320G | 3.55 | 0.10 | 132.00 | 1.08 |
| C1360G | 3.55 | 0.10 | 136.00 | 1.10 |
| C1400G | 3.55 | 0.10 | 140.00 | 1.13 |
| C1450G | 3.55 | 0.10 | 145.00 | 1.17 |
| C1500G | 3.55 | 0.10 | 150.00 | 1.20 |
| C1550G | 3.55 | 0.10 | 155.00 | 1.24 |
| C1600G | 3.55 | 0.10 | 160.00 | 1.27 |
| C1650G | 3.55 | 0.10 | 165.00 | 1.31 |
| C1700G | 3.55 | 0.10 | 170.00 | 1.34 |
| C1750G | 3.55 | 0.10 | 175.00 | 1.38 |
| C1800G | 3.55 | 0.10 | 180.00 | 1.41 |
| C1850G | 3.55 | 0.10 | 185.00 | 1.44 |
| C1900G | 3.55 | 0.10 | 190.00 | 1.48 |
| C1950G | 3.55 | 0.10 | 195.00 | 1.51 |
| C2000G | 3.55 | 0.10 | 200.00 | 1.55 |
| D0400G | 5.30 | 0.13 | 40.00 | 0.38 |
| D0412G | 5.30 | 0.13 | 41.20 | 0.39 |
| D0425G | 5.30 | 0.13 | 42.50 | 0.40 |
| D0437G | 5.30 | 0.13 | 43.70 | 0.41 |
| D0450G | 5.30 | 0.13 | 45.00 | 0.42 |
| D0462G | 5.30 | 0.13 | 46.20 | 0.43 |
| D0475G | 5.30 | 0.13 | 47.50 | 0.44 |
| D0487G | 5.30 | 0.13 | 48.70 | 0.45 |
| D0500G | 5.30 | 0.13 | 50.00 | 0.46 |
| D0515G | 5.30 | 0.13 | 51.50 | 0.47 |

単位mm

| 品番 | 太さ | 太さ公差 ± | 内径 | 内径公差 ± |
|--------|------|--------|--------|--------|
| D0530G | 5.30 | 0.13 | 53.00 | 0.48 |
| D0545G | 5.30 | 0.13 | 54.50 | 0.50 |
| D0560G | 5.30 | 0.13 | 56.00 | 0.51 |
| D0580G | 5.30 | 0.13 | 58.00 | 0.52 |
| D0600G | 5.30 | 0.13 | 60.00 | 0.54 |
| D0615G | 5.30 | 0.13 | 61.50 | 0.55 |
| D0630G | 5.30 | 0.13 | 63.00 | 0.56 |
| D0650G | 5.30 | 0.13 | 65.00 | 0.58 |
| D0670G | 5.30 | 0.13 | 67.00 | 0.59 |
| D0690G | 5.30 | 0.13 | 69.00 | 0.61 |
| D0710G | 5.30 | 0.13 | 71.00 | 0.63 |
| D0730G | 5.30 | 0.13 | 73.00 | 0.64 |
| D0750G | 5.30 | 0.13 | 75.00 | 0.66 |
| D0775G | 5.30 | 0.13 | 77.50 | 0.67 |
| D0800G | 5.30 | 0.13 | 80.00 | 0.69 |
| D0825G | 5.30 | 0.13 | 82.50 | 0.71 |
| D0850G | 5.30 | 0.13 | 85.00 | 0.73 |
| D0875G | 5.30 | 0.13 | 87.50 | 0.75 |
| D0900G | 5.30 | 0.13 | 90.00 | 0.77 |
| D0925G | 5.30 | 0.13 | 92.50 | 0.79 |
| D0950G | 5.30 | 0.13 | 95.00 | 0.81 |
| D0975G | 5.30 | 0.13 | 97.50 | 0.83 |
| D1000G | 5.30 | 0.13 | 100.00 | 0.84 |
| D1030G | 5.30 | 0.13 | 103.00 | 0.87 |
| D1060G | 5.30 | 0.13 | 106.00 | 0.89 |
| D1090G | 5.30 | 0.13 | 109.00 | 0.91 |
| D1120G | 5.30 | 0.13 | 112.00 | 0.93 |
| D1150G | 5.30 | 0.13 | 115.00 | 0.95 |
| D1180G | 5.30 | 0.13 | 118.00 | 0.97 |
| D1220G | 5.30 | 0.13 | 122.00 | 1.00 |
| D1250G | 5.30 | 0.13 | 125.00 | 1.03 |
| D1280G | 5.30 | 0.13 | 128.00 | 1.05 |
| D1320G | 5.30 | 0.13 | 132.00 | 1.08 |
| D1360G | 5.30 | 0.13 | 136.00 | 1.10 |
| D1400G | 5.30 | 0.13 | 140.00 | 1.13 |
| D1450G | 5.30 | 0.13 | 145.00 | 1.17 |
| D1500G | 5.30 | 0.13 | 150.00 | 1.20 |
| D1550G | 5.30 | 0.13 | 155.00 | 1.24 |
| D1600G | 5.30 | 0.13 | 160.00 | 1.27 |
| D1650G | 5.30 | 0.13 | 165.00 | 1.31 |
| D1700G | 5.30 | 0.13 | 170.00 | 1.34 |
| D1750G | 5.30 | 0.13 | 175.00 | 1.38 |
| D1800G | 5.30 | 0.13 | 180.00 | 1.41 |
| D1850G | 5.30 | 0.13 | 185.00 | 1.44 |
| D1900G | 5.30 | 0.13 | 190.00 | 1.48 |
| D1950G | 5.30 | 0.13 | 195.00 | 1.51 |
| D2000G | 5.30 | 0.13 | 200.00 | 1.55 |
| D2060G | 5.30 | 0.13 | 206.00 | 1.59 |
| D2120G | 5.30 | 0.13 | 212.00 | 1.63 |

単位mm

| 品番 | 太さ | 太さ公差 ± | 内径 | 内径公差 ± |
|--------|------|--------|--------|--------|
| D2180G | 5.30 | 0.13 | 218.00 | 1.67 |
| D2240G | 5.30 | 0.13 | 224.00 | 1.71 |
| D2300G | 5.30 | 0.13 | 230.00 | 1.75 |
| D2360G | 5.30 | 0.13 | 236.00 | 1.79 |
| D2430G | 5.30 | 0.13 | 243.00 | 1.83 |
| D2500G | 5.30 | 0.13 | 250.00 | 1.88 |
| D2580G | 5.30 | 0.13 | 258.00 | 1.93 |
| D2650G | 5.30 | 0.13 | 265.00 | 1.98 |
| D2720G | 5.30 | 0.13 | 272.00 | 2.02 |
| D2800G | 5.30 | 0.13 | 280.00 | 2.08 |
| D2900G | 5.30 | 0.13 | 290.00 | 2.14 |
| D3000G | 5.30 | 0.13 | 300.00 | 2.21 |
| D3070G | 5.30 | 0.13 | 307.00 | 2.25 |
| D3150G | 5.30 | 0.13 | 315.00 | 2.30 |
| D3250G | 5.30 | 0.13 | 325.00 | 2.37 |
| D3350G | 5.30 | 0.13 | 335.00 | 2.43 |
| D3450G | 5.30 | 0.13 | 345.00 | 2.49 |
| D3550G | 5.30 | 0.13 | 355.00 | 2.56 |
| D3650G | 5.30 | 0.13 | 365.00 | 2.62 |
| D3750G | 5.30 | 0.13 | 375.00 | 2.68 |
| D3870G | 5.30 | 0.13 | 387.00 | 2.76 |
| D4000G | 5.30 | 0.13 | 400.00 | 2.84 |
| E1090G | 7.00 | 0.15 | 109.00 | 0.91 |
| E1120G | 7.00 | 0.15 | 112.00 | 0.93 |
| E1150G | 7.00 | 0.15 | 115.00 | 0.95 |
| E1180G | 7.00 | 0.15 | 118.00 | 0.97 |
| E1220G | 7.00 | 0.15 | 122.00 | 1.00 |
| E1250G | 7.00 | 0.15 | 125.00 | 1.03 |
| E1280G | 7.00 | 0.15 | 128.00 | 1.05 |
| E1320G | 7.00 | 0.15 | 132.00 | 1.08 |
| E1360G | 7.00 | 0.15 | 136.00 | 1.10 |
| E1400G | 7.00 | 0.15 | 140.00 | 1.13 |
| E1450G | 7.00 | 0.15 | 145.00 | 1.17 |
| E1500G | 7.00 | 0.15 | 150.00 | 1.20 |
| E1550G | 7.00 | 0.15 | 155.00 | 1.24 |
| E1600G | 7.00 | 0.15 | 160.00 | 1.27 |
| E1650G | 7.00 | 0.15 | 165.00 | 1.31 |
| E1700G | 7.00 | 0.15 | 170.00 | 1.34 |
| E1750G | 7.00 | 0.15 | 175.00 | 1.38 |
| E1800G | 7.00 | 0.15 | 180.00 | 1.41 |
| E1850G | 7.00 | 0.15 | 185.00 | 1.44 |
| E1900G | 7.00 | 0.15 | 190.00 | 1.48 |
| E1950G | 7.00 | 0.15 | 195.00 | 1.51 |
| E2000G | 7.00 | 0.15 | 200.00 | 1.55 |
| E2060G | 7.00 | 0.15 | 206.00 | 1.59 |
| E2120G | 7.00 | 0.15 | 212.00 | 1.63 |
| E2180G | 7.00 | 0.15 | 218.00 | 1.67 |
| E2240G | 7.00 | 0.15 | 224.00 | 1.71 |
| E2300G | 7.00 | 0.15 | 230.00 | 1.75 |

単位mm

| 品番 | 太さ | 太さ公差 ± | 内径 | 内径公差 ± |
|--------|------|--------|--------|--------|
| E2360G | 7.00 | 0.15 | 236.00 | 1.79 |
| E2430G | 7.00 | 0.15 | 243.00 | 1.83 |
| E2500G | 7.00 | 0.15 | 250.00 | 1.88 |
| E2580G | 7.00 | 0.15 | 258.00 | 1.93 |
| E2650G | 7.00 | 0.15 | 265.00 | 1.98 |
| E2720G | 7.00 | 0.15 | 272.00 | 2.02 |
| E2800G | 7.00 | 0.15 | 280.00 | 2.08 |
| E2900G | 7.00 | 0.15 | 290.00 | 2.14 |
| E3000G | 7.00 | 0.15 | 300.00 | 2.21 |
| E3070G | 7.00 | 0.15 | 307.00 | 2.25 |
| E3150G | 7.00 | 0.15 | 315.00 | 2.30 |
| E3250G | 7.00 | 0.15 | 325.00 | 2.37 |
| E3350G | 7.00 | 0.15 | 335.00 | 2.43 |
| E3450G | 7.00 | 0.15 | 345.00 | 2.49 |
| E3550G | 7.00 | 0.15 | 355.00 | 2.56 |
| E3650G | 7.00 | 0.15 | 365.00 | 2.62 |
| E3750G | 7.00 | 0.15 | 375.00 | 2.68 |
| E3870G | 7.00 | 0.15 | 387.00 | 2.76 |
| E4000G | 7.00 | 0.15 | 400.00 | 2.84 |
| E4120G | 7.00 | 0.15 | 412.00 | 2.91 |
| E4250G | 7.00 | 0.15 | 425.00 | 2.99 |
| E4370G | 7.00 | 0.15 | 437.00 | 3.07 |
| E4500G | 7.00 | 0.15 | 450.00 | 3.15 |
| E4620G | 7.00 | 0.15 | 462.00 | 3.22 |
| E4750G | 7.00 | 0.15 | 475.00 | 3.30 |
| E4870G | 7.00 | 0.15 | 487.00 | 3.37 |
| E5000G | 7.00 | 0.15 | 500.00 | 3.45 |
| E5150G | 7.00 | 0.15 | 515.00 | 3.54 |
| E5300G | 7.00 | 0.15 | 530.00 | 3.63 |
| E5450G | 7.00 | 0.15 | 545.00 | 3.72 |
| E5600G | 7.00 | 0.15 | 560.00 | 3.81 |
| E5800G | 7.00 | 0.15 | 580.00 | 3.93 |
| E6000G | 7.00 | 0.15 | 600.00 | 4.05 |
| E6150G | 7.00 | 0.15 | 615.00 | 4.13 |
| E6300G | 7.00 | 0.15 | 630.00 | 4.22 |
| E6500G | 7.00 | 0.15 | 650.00 | 4.34 |
| E6700G | 7.00 | 0.15 | 670.00 | 4.46 |